

# psychological Applications and Trends

2018

**Edited by:**

**Clara Pracana**

**Michael Wang**



## SCIENTIFIC COMMITTEE

---

### Conference and Program Co-Chairs

#### **Clara Pracana**

Full and Training Member of the Portuguese Association of Psychoanalysis and Psychoanalytic Psychotherapy, Portugal

#### **Michael Wang**

Emeritus Professor of Clinical Psychology, University of Leicester, United Kingdom

### International Scientific Committee

**A. Nuray Karanci**, Middle East Technical University, Turkey

**Abraham A. Argun**, Argun Affiliated Psychological Services, USA

**Acácia Santos**, São Francisco University, Brazil

**Adi Fahrudin**, Universiti Malaysia Sabah, Malaysia

**Adilia Silva**, Independent Researcher/Clinician, South Africa

**Adriana Baban**, Babes-Bolyai University, Romania

**Adriane Roso**, Universidade Federal de Santa Maria – UFSM, Brazil

**Agata Wawrzyniak**, University of Szczecin, Poland

**Alessio Avenanti**, Università di Bologna, Italy

**Alipio Sánchez Vidal**, University of Barcelona, Spain

**Anastasia Alevriadou**, University of Western Macedonia, Greece

**Andrea Guazzini**, University of Florence, Italy

**Andreja Bubic**, University of Split, Croatia

**Ann Marie Bissessar**, University of the West Indies, Trinidad and Tobago

**Anna Alexandrova-Karamanova**, Institute for Population and Human Studies – BAS, Bulgaria

**Anna Janovská**, Pavol Jozef Šafárik University in Košice, Slovakia

**Atmane Ikhlef**, Independent Consultant / Researcher, Algeria

**Auksė Endriulaitienė**, Vytautas Magnus University, Lithuania

**Aurora Adina Colomeischi**, Stefan cel Mare University, Romania

**Ayse Esra Aslan**, Istanbul University, Turkey

**Barbara Wąsikowska**, University of Szczecin, Poland

**Başak Bahtiyar**, Maltepe University, Turkey

**Beáta Ráczová**, Pavol Jozef Šafárik University in Košice, Slovakia

**Bernard Gangloff**, University of Rouen, France

**Bernard Pak-ho Wong**, Hong Kong Shue Yan University, Hong Kong

**Binnur Yesilyaprak**, Ankara University, Turkey

**Brij Mohan**, Louisiana State University, USA

**Carmen Berce Popa**, University of Oradea, Romania

**Chris McVittie**, Queen Margaret University, United Kingdom

**Chrysanthi Nega**, Deree, The American College of Greece, Greece

**Clarissa M. Corradi-Webster**, University of São Paulo, Brazil

**Claudio Sica**, University of Firenze, Italy

**Colette Dufresne-Tassé**, Université de Montréal, Canada

**Daniel Süß**, Zurich University of Applied Sciences & University of Zurich, Switzerland

**Danijela S. Petrović**, University of Belgrade, Serbia

**Daragh T. Mcdermott**, Anglia Ruskin University, United Kingdom

**David Aparisi**, Universidad de Alicante, Spain

**Deborah Wooldridge**, Bowling Green State University, USA

**Diego Lasio**, University of Cagliari, Italy

- Dweep Chand Singh**, AIBHAS, Amity University Uttar Pradesh, NOIDA, India
- Eda Kargi**, East Mediterranean University, Cyprus
- Ederaldo J. Lopes**, Federal University of Uberlândia, Brazil
- Edwin Herazo**, Human Behavioral Research Institute, Colombia
- Ekaterina Usmanova**, Saint Petersburg State University, Russia
- Elena Levchenko**, Perm State University, Russia
- Eleni Petkari**, European University of Cyprus, Cyprus
- Elenita M. Tiamzon**, World Citi Colleges, Philippines
- Emel Kuruoglu**, Dokuz Eylul University, Turkey
- Emerson Rasera**, Federal University of Uberlândia, Brazil
- Eva Sollárová**, Matej Bel University, Slovakia
- Fotios Anagnostopoulos**, Panteion University of Social & Political Sciences, Greece
- Gandharva Joshi**, Saurashtra University, India
- Gordana Jovanović**, University of Belgrade, Serbia
- Helena Klimusová**, Masaryk University, Czech Republic
- Henry Grubb**, University of Dubuque, USA
- Hossein Kareshki**, Ferdowsi University of Mashhad, Iran
- Isabella Corradini**, Themis Research Centre, Italy
- J. Martín Ramírez**, Nebrija University, Spain
- Jakob Pietschnig**, University of Vienna, Austria
- Janina Uszyńska-Jarmoc**, University of Białystok, Poland
- Joanne Dickson**, Edith Cowan University, Australia
- Kamna Chhibber**, Fortis Healthcare, India
- Karen Blair**, St. Francis Xavier University Antigonish, Canada
- Katherine Makarec**, William Paterson University, USA
- Kristi Kõiv**, University of Tartu, Estonia
- Kyle A. Msall**, American University of Kuwait, Kuwait
- Lada Kaliská**, Matej Bel University, Slovakia
- Ladislav Lovaš**, Pavol Jozef Šafárik University, Slovakia
- Laura Furcsa**, Eszterházy Károly University, Hungary
- Liliana Mata**, “Vasile Alecsandri” University of Bacau, Romania
- Lilly Both**, University of New Brunswick in Saint John, Canada
- Lisa Best**, University of New Brunswick, Canada
- Loreta Bukšnytė-Marmienė**, Vytautas Magnus University, Lithuania
- Luca Cerniglia**, Università Telematica Internazionale UNINETTUNO, Italy
- Luis Alberto Casado Aranda**, University of Granada, Spain
- Madelene Sta. Maria**, De La Salle University Manila, Philippines
- Mandy Rossignol**, University of Mons, Belgium
- Marcello Nonnis**, University of Cagliari, Italy
- Marcelo F. Costa**, University of São Paulo, Brazil
- Marco Vassallo**, Council for Agricultural Research and Economics (CREA), Italy
- Margit Höfler**, Danube University Krems, Austria
- Maria Iakovleva**, Saint Petersburg State University, Russia
- Martin Eisemann**, Tromsø University, Norway
- Mary M. Chittooran**, Saint Louis University, USA
- Michael Zeiler**, Medical University of Vienna, Austria
- Miroslava Kőverová**, Pavol Jozef Šafárik University in Košice, Slovakia
- Mojca Juriševič**, University of Ljubljana, Faculty of Education, Slovenia
- Nadia Mateeva**, Bulgarian Academy of Sciences, Bulgaria
- Neala Ambrosi-Randić**, Juraj Dobrila University of Pula, Croatia
- Nina Kajiji**, University of Rhode Island, USA

**Nuria Carriedo**, UNED – Universidad Nacional de Educación a Distancia, Spain

**Oleg Panchenko**, Scientific Practical Medical Rehabilitation and Diagnostic Center of the Ministry of Health of Ukraine, Ukraine

**Olga Deyneka**, St. Petersburg State University, Russia

**Olga Orosová**, Pavol Jozef Šafárik University in Košice, Slovakia

**Omar Rahman**, University of South Florida, USA

**Otilia Clipa**, Stefan cel Mare University, Romania

**Patrizia Meringolo**, Università degli Studi di Firenze, Italy

**Plamen Dimitrov**, The Bulgarian Psychological Society, Bulgaria

**Regina Fernández Morales**, Universidad Rafael Landívar, Guatemala

**Reinhold Viehoff**, Martin Luther University, Germany

**Roxana-Maria Ghiatau**, Alexandru Ioan Cuza University of Iasi, Romania

**Samir Parikh**, Fortis Healthcare, India

**Sema Karakelle**, Istanbul University, Turkey

**Sharo (Shahrokh) Shafaie**, Southeast Missouri State University, USA

**Shulamith Kreitler**, Tel Aviv University, Israel

**Silvia Cimino**, Sapienza University of Rome, Italy

**Snežana Stojiljković**, University of Niš, Serbia

**Suppiah Nachiappan**, Sultan Idris Education University, Malaysia

**Suzie Savvidou**, The University of Sheffield International Faculty, CITY College, Greece

**Tali Heiman**, The Open University of Israel, Israel

**Victor Martinelli**, University of Malta, Malta

**Vildan Mevsim**, Dokuz Eylul University, Turkey

**Vittore Perruci**, Università della Valle d'Aosta, Italy

**Werner Leitner**, IB Hochschule, Germany

**Yonghui Wang**, Shaanxi Normal University, China

**Zamira Hyseni Duraku**, University of Prishtina, Hasan Prishtina, Kosovo

**Zvezdan Penezić**, University of Zadar, Croatia

## INDEX OF CONTENTS

---

### ORAL PRESENTATIONS

---

#### *Clinical Psychology*

<b>Empathy without empathic exhaustion</b> <i>Shulamith Kreitler</i>	3
<b>Microaggressions, daily hassles, and mental health concerns among U.S. racial-ethnic university students</b> <i>Arthur W. Blume</i>	8
<b>Balancing competing agendas: Considerations when providing psychological treatment for transgender children and adolescents</b> <i>Wallace Wong, &amp; Jaime Semchuk</i>	9
<b>Cultural and individual differences in dating anxiety among American and Polish young adults</b> <i>Katarzyna Adamczyk, Chris Segrin, Corey A. Pavlich, &amp; Malgorzata Osowiecka</i>	14
<b>Post-stress disorders in situation of Eastern Ukraine public confrontation</b> <i>Oleg Panchenko</i>	17
<b>Development of a medico-psychological assistance system for children of Eastern Ukraine</b> <i>Anastasia Kabantseva</i>	22
<b>The longitudinal associations between depressive disorders and chronic pain</b> <i>Karen B. Schmalzing, &amp; Zachary A. Nounou</i>	26
<b>The joint effect of different nature factors on the therapeutic behaviour of patients after CABG</b> <i>Maria Iakovleva</i>	27
<b>Intersectoral-actions in mental health care for children and adolescents</b> <i>Bruna Ceruti Quintanilha, Alexandra Iglesias, &amp; Luziane Zacché Avellar</i>	31
<b>Minor brain damage and somatic complaints accompanied by excessive long-term amnesia: Psychological cause?</b> <i>Hans J. Markowitsch, Angelica Staniloiu, Andreas Kordon, &amp; Jan Sarlon</i>	34
<b>Affective styles and difficulties in emotion regulation</b> <i>Sarah Lall</i>	39
<b>Migration and dissociative amnesia</b> <i>Angelica Staniloiu, Hans J. Markowitsch, Jan Sarlon, &amp; Andreas Kordon</i>	44
<b>The relationship between obsessive compulsive symptoms, cognitive vulnerabilities and stressful life events</b> <i>Athanasia Malamateniou, &amp; Suzie Savvidou</i>	49

## POST-STRESS DISORDERS IN SITUATION OF EASTERN UKRAINE PUBLIC CONFRONTATION

**Oleg Panchenko**

*Ukrainian Professional Psychiatric League (Ukraine),  
State Institution "Scientific – Practical Medical Rehabilitating – Diagnostic Center of the Ukrainian  
Ministry of Health" (Ukraine)*

### Abstract

Donbass military activity changes public and social situation dramatically. We can see public change of emphasis in the field of public medical-psychological aid. If people change or lose their place of residence, they will suffer from indeterminacy together with moving induced stress.

Nowadays, there are more than 200 thousand Anti-Terroristic Operation (ATO) combatants and more than two and half million internally displaced persons in Ukraine.

Throughout 2014-2017, the workers of State Institution «Scientific Practical Medical Rehabilitation Diagnostic Centre of the Ministry of Health of Ukraine» in Kostyantynivka city, Donetsk region, Ukraine carry on medical examinations of local population to diagnose various kinds of post-stress disorders. 2041 adult patients took part in this medical activity; all of them were the residents of the civilian conflict area. The examinations were conducted with the help of diagnostic, anthropometrical, neurophysiological, laboratory-clinical and biochemical diagnostic medical techniques.

In accordance with our psychodiagnostic findings, the dominant emotions of ATO area residents are anxiety, fear, annoyance, hopelessness and other disorders related to stressful situation in the region. 46.9% of the examined people were direct military actions eye-witness. 12.2% of them are internally displaced people. Among post-stress disorder promoting factors we can find various kinds of negative emotional states, threat of life, threat of financial and other tangible losses and unsatisfactory financial situation.

Neurotic and somatic disorders are interconnected with various stress situations: F42.1 mixed anxiety states and somatoform disorders – 22.1%, F43.1 post-traumatic stress disorders - 18.9%, F43.2 adaptation disorders – 3.2%, F45 somatoform disorders – 11.6%, F48.0 neurasthenia – 3.2%, F41 – panic disorders -23.1%, F42 obsessive-compulsive disorders - 4.2%.

So, military-civil conflict may be characterized by various psychological structural disorders. Monitoring data obtained give us an opportunity to emphasize urgent need in development of new medical psychological aid approaches. We should make an emphasis on various psychological problems resolution in conditions of high-level emotional stress situations, induced by various physical, material and financial losses. Urgent and first aid to the people who suffer of difficult life circumstances consists of anxiety level reduction and adaptive level promotion with help of complex medical psychological aid measures in rehabilitating centers. The ultimate objective of all aforementioned measures is to render psychological assistance to the population of the military conflict area.

**Keywords:** *Eastern Ukraine, civil confrontation, zone of the antiterrorist operation, fear, anxiety, psychosomatic disorders, medical and psychological help.*

---

### 1. Introduction

Military actions in Donbass region changes social situation in Ukraine dramatically. There is a need to change the priorities in the field of medical psychological aid provision. Internally displaced people are suffering not only of transfer-induced stress, but also because of their personal socioeconomic situation uncertainty. There are more than 300,000 Anty-Terroristic Operation combatants and about 1,584,000 internally displaced peoplenow in Ukraine. Ukrainian socioeconomic situation is very straight at present too because of the continuous military actions, which threaten to civilians' lives, health and prosperity.

## 2. Design

According to the UNISEF data, the number of civilian victims in consequence of various armed conflicts around the world has increased dramatically. Military actions and social changes in the Eastern part of Ukraine lead to deterioration of traditional social infrastructure patterns and public relation stereotypes. All of that influences the regional social disorientation increasing and, as a result, social psychological stress situation development.

People who have lost or changed their habitations suffer not only of transfer-induced stress, but also of their social situation uncertainty. They are afraid of their health conditions deterioration, worry about their friends and relatives. All aforementioned factors promote our patients' post stress disorders development (Ioannidi and Poplavskaya 2015). Now there is an urge necessity to change general priorities in the field of medical-psychologic aid to the regional population.

## 3. Objectives

Our Aim is to investigate post-traumatic stress disorders (PTSD) development for the victims of regional military conflict, to validate rehabilitating medical aid measures and recommendations to the medical workers.

## 4. Methods

During the period of 2014-2017, the workers of State Institution "Scientific Practical Medical Rehabilitating Diagnostic Center of Ukrainian Ministry of Health" Kostiantynivka city, Donetsk region, Ukraine have conducted medical examination of the Donbass regional population to reveal and diagnose various post stress disorders. 2041 adult patients (68.7% female and 31.3% male ones), who live in the area of military civilian conflict, took part in our investigation. During our investigation, we have used various diagnostic, anthropometrical, neurophysiological, psycho-diagnostic, laboratory clinical and biochemical methodologies. Our clinical statistical investigation was conducted with help of specialized evaluation systems; among them are Mississippian diagnostic scale for PTSD (civilian and military versions recommended for psychogenic PTSD screening for military action combatants (Geuze E. 2008) and self-estimation questionnaire for emotional and physical state evaluation.

## 5. Discussion

According to the results of our psycho-diagnostic investigation, the main ATO region residents' prevailing emotions are anxiety, fear, irritation and helplessness associated with the current regional situation. 46.9% of the surveyed consider themselves as direct witnesses of hostilities, 12.2% of them were internally displaced people. The main contributing post-stress disorder development factors are adverse emotional states, life threatening situations, threat of material and financial losses and unsatisfactory financial situation.

According to the International Diseases Classification (MKB-10) it has been discovered that our patients suffered of neurotic and somatoform stress induced disorders: F41.2 – mixed anxiety and somatoform disorders - 22.1%, F43.1 – various posts tress disorders – 18.9%, F43.2 – adaptation disorders – 3.2%, F45 – somatoform disorders - 11.6%, F48.0 – neurasthenia – 3.2%, F41 – panic disorders – 23.1%, F42 - obsessive compulsory disorder – 4.2%.

According to the results of our psycho-diagnostic investigation, the great majority of the regional population currently suffers of anxiety (Figure 1). The sense of fear tends to decrease, but according to the data obtained, one in four examined respondents suffers of such kind of disorder.

It should be noticed that psychoemotional state changes leads to serious psychic disorders development (please, see table 1).

Figure 1. Diagnostic results (by the Mississippi diagnostic scale for PTSD). 1 – Individual PTSD signs. 2 – PTSD as a whole.





Table 1. Psychoemotional changes in the state.

Disorder category	%
F41.2 – mixed anxious and depressive disorder	22.1%
F43.1 – post traumatic stress disorder	18.9%
F43.2 – adaptive disorder	3.2%
F45 – somatoform disorder	11.6 %
F48.0 – neurasthenia	3.2%
F41 – panic disorder	23.1%
F42 – obsessive compulsory disorder	4.2%

As a result of complex diagnostic measures with help of Mississippi scale, conducted in the period from July 2014 till November 2017, it was revealed that the quantity of patients suffering from PTSD (13.8%) or some PTSD signs (33.5%) remains stably high (figure 2). It could be explained by both situation escalation in the region and patients’ psychic adaptive mechanisms exhaustion because of continues psycho-traumatic factors influence.

After investigation of Eastern Ukraine population mental condition it has been discovered that long-term psycho-traumatic situations influence associated with living in the area of hostilities and life-threatening situation can lead not only to various PTSD symptoms development, but also contribute to patients’ personality characteristics changes appearance.

Figure 2. Diagnostic measures results (according to PTSD Mississippi scale).






PTSD is a state of patients who suffer of multiple neurobiological systematic changes because of cognitive, affective and behavioral spheres dysregulation (Armour and O'Connor M. 2012). Not only directly traumatized patients could suffer of PTSD but the direct witnesses, victims' relatives, rescue workers and medical workers who became so called hidden victims during some disaster emergency activity (Ioannidi and Poplavskaya 2015).

During any civilian confrontation, information environment state is very important too. This environment conditions affect population mental state and psychological well-being in a certain way. Therefore, one of the objectives of the study was to determine the attitude of respondents to the information environment, its quality and necessity. Therefore, one of the objectives of our study was to determine the attitude of respondents to the information space in which they are located, the quality of information and the need for its receipt.

The results of our investigation of regional population information perception are presented on the Figure 3. It has been discovered that in the period from July 2014 until July 2017, civilians' need for new information has decreased from 75.6% to 35.7%, which is substantiated by them as a lack of reliance to political and social situation in the country provided by domestic mass media.

Figure 3. Obtained research results of ATO region population information perception (%). Need for new information: increased necessity in information (upper line), news ignoring (lower line).



## 6. Conclusions

Military actions in the Eastern Ukraine take place in densely populated regions of the country, contributing to the various post-stress disorders formation for both the direct military combatants and civilians. This kind of civil conflict could be characterized by various structural disorders. Regional civil population is still a subject of various constant intensity negative influences. The number of patients who suffer of various neurotic and stress-related disorders (such as panic states, obsessive-compulsive and dissociative disorders) remains stably high (over 33%). The number of patients, who suffer of some PTSD signs estimates 32%. mixed anxiety and depressive disorders estimates more than 22%. and PTSD as a whole estimates from 13% to 18%.

Obtained monitoring data emphasize the need of new approaches to medical and psychological aid development to the population with an emphasis on solving psychological problems in conditions of emotional stress associated with physical, material and financial losses. Urgent and high-priority assistance to people who are in difficult life circumstances consists in anxiety reduction and adaptation to new conditions of existence with the use of comprehensive medical and psychological measures in the conditions of the Centers for Rehabilitation and psychological support of the population.

This differentiated approach should be used for various post-stress disorders diagnosis and rehabilitation with regulated interaction between the medical, psychological and pedagogical communities, with the active participation of family members and the necessary social structures. All of that will ensure social well-being and security levels in Ukraine.

Such approach, as practice shows, is capable of providing not only timely adequate psychiatric aid, but also addressing psycho-prophylactic and psycho-corrective measures aimed to reduce psychological and psychosomatic consequences severity in the conduct of hostilities in the immediate and distant periods after such complex measures completion.

*References*

- Armour C., O'Connor M. (2012). Assessing PTSD's latent structure in elderly Bereaved European trauma victims: evidence for a five factor dysphoric and anxious arousal model. *Journal of Nervous and Mental Disease*, p.200.
- Geuze E. (2008) GABAA benzodiazepine receptor binding in veterans with post-traumatic stress disorder. *Molecular Psychiatry*, 13, 74–83.
- Ioannidi D.A., Poplavskaya O.V. (2015). Sovremenniy vzglyad na posttravmaticheskoe stressovoe rasstroystvo. Materialy Rossiyskoy nauchnoy konferentsii s mezhdunarodnyim uchastiem «Psihopatologiya voyni: psihicheskie i povedencheskie rasstroystva u zherty tyazhelogo stressa». Rostov-na-Donu: GBOU VPO RostGMU. 65-70.